















CONTAINER 1 PRODUCTS WITH PRICES







Qty should be multiple of Basic Qty

Ingco item No.	Picture	Product name	Description & Features	Unit	Basic Qty	Qty/ Ctn	Amount Incl. VAT £	CB M
<p> CIDLI20668 E</p>		<p>Compact Brushless Cordless Impact Drill</p>	<p>Brushless motor Voltage: 20V No-load speed: 0-500/0-2000rpm Max impact rate: 30000bpm Max torque: 66Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1+1 Mechanical 2-speed gear Spindle lock function Integrated LED work light LED battery power indicator Include:</p>	<p>PCS</p>	<p>50</p>	<p>5</p>	<p>£96.00</p>	<p>0.518</p>

 CIWLI2040E		Cordless impact wrench	Brushless motor Square drive: 1/2" No-load speed: 0-1600/0-1900/0-2300rpm Impact rate: 0-2100/0-2500/0-2900bp m Fastening torque: 400Nm Nut-Busting torque: 550Nm Integrated LED work light Include: 2. Pcs 2.0Ah battery pack(FBLI2001) 3. Pcs sockets(17,19,21m m) 1 Pcs 20V charger(FCLI2001E)	PC S	30	5	£134.00	0.29 1
 CKLI20272E		Cordless 2 pcs combo kit	ChargeVoltage volts:20V: 220-240V~50/60Hz With 1pcs brushless cordless drill (CDLI20453E) With 1pcs cordless impact driver(CIRLI2028E) Lithium-ion brushless cordless drill(CDLI20453E): Brushless motor No-load speed: 0-550/0-2000rpm Max torque: 52Nm Plastic chuck	SE T	20	4	154.00	0.34 4

<p> CAGLI21115 6</p>	 <p>P20S BL MOTOR</p> <p>115mm Battery and charger sold separately</p>	<p>Cordless angle grinder</p>	<p>Chuck Brushless capacity motor: 10mm Voltage: 20V No-load speed: 3000/8000/min Disc diameter: 115mm Spindle thread: M14 Safety trigger switch Battery and charger sold separately Disc not included Packed by color box</p>	<p>PC S</p>	<p>28</p>	<p>4</p>	<p>56.00</p>	<p>0.15 0</p>
<p> APLI20151</p>	 <p>P20S BL MOTOR</p> <p>150mm(6") 4.0Ah X1</p>	<p>Cordless polisher</p>	<p>Brushless motor Voltage:20V No-load speed:2000-4500rpm Polishing pad diameter:150mm Variable speed control Include: 1 Pcs polishing bonnet 1 Pcs 4.0Ah battery(FBLI20021) 1 Pcs charge(FCLI2001) Charge volts: 220-240V~50/60Hz Packed by canvas bag</p>	<p>PC S</p>	<p>20</p>	<p>4</p>	<p>78.00</p>	<p>0.34 6</p>

 CSLI1652	 Battery and charger sold separately	Cordless circular saw	Brushless motor Voltage: 20V No-load speed: 5200rpm Blade diameter: 165mm(6-1/2") Cutting capacity: 45° degree: 42mm 90° degree: 55mm Adjustable cutting depth Adjustable bevel cutting Include: 1 Pcs 165mm saw blade Battery and charger sold separately Packed by color box	PCS	40	4	70.00	0.757
 CSTLI3808	 Brick Wall	Cordless brick nailer	Voltage:20V Nail type: ST18mm Drive rate: 2nails/s Magazine capacity:65pcs Applications: perfect for brick wall, iron sheets(≤1mm), wood Include: 200 Pcs concrete nails (18mm) 1pcs air nozzle 1pcs pin 1 Pcs 20V 2.0AH battery(FBLI2001) 1 Pcs charger(FCLI2001E)	PCS	40	4	240.00	0.689

 CMLI2022	 <p>Battery and charger sold separately</p>	Cordless multi-tool	Voltage: 20V No-load speed: 5000-20000rpm Oscillation angle: 3.2° 6 speed adjustment Include: 1 Pcs flexible scraper 1 Pcs cutting saw blade 1 Pcs segment saw blade 1 Pcs Hex key 1 Pcs sanding base	PC S	40	8	65.00	0.11 7
 CSHSLI2014	 <p>Battery and charger sold separately</p>	Cordless sheet sander	Voltage:20V No-load speed:12000rpm Bottom size:110mmx100mm Include: 5 Pcs sand paper Packed by color box	PC S	60	12	40.00	0.16 3
 CWLI2038	 <p>Battery and charger sold separately</p>	Cordless work lamp	Voltage:20V LED power dissipation:5W Lumens:270±10% Battery and charger sold separately Packed by double blister	PC S	96	12	14.00	0.51 5



CVLI2006



Cordless vacuum cleaner

Voltage:20V
 Vacuum pressure(KPa):>9 Kpa
 Capacity:0.8L
 Power(W):120W
 Multiple cyclone
 Pure copper wire motor
 HEPA filter
 Charge
 volts:220V-240V~50/60Hz
 Charge time:1.2H
 Working time:>35min low speed level
 Working time:>18min high speed level
 1pcs 2.0Ah battery pack(FBLI2001) 1pcs charger for 2.0Ah battery pack(FCLI2001E)





PCS





48





6





75.00





1.189





 CHTLI40028 2		Cordless hedge trimmer	Brushless Motor Voltage: 40V (20V+20V) No-load speed:3600spm Blade cutting length:650mm Blade gap:27mm Laser cut blade Include: 2 Pcs 2.0Ah battery pack (FBLI2001) 1 Pcs dual-port charger(FCLI2034E) Charge volts:220-240V~50/60Hz Packed by color box	PC S	20	2	190.00	0.94 4
 CPHT201601 2		Cordless pole hedge trimmer	Voltage: 20V Blade cutting length: 460mm Maximum speed: 2800spm Maximum cutting diameter: 18mm Laser cut blade Total machine length:2.4m Max Include: 1 Pcs 2.0Ah battery pack(FBLI2001) 1 Pcs charger(FCLI2001E) Charge volts: 220-240V~50/60Hz Packed by color box	PC S	20	2	144.00	0.96 8





 FCLI2082		P20S battery charger	Input voltage: 220-240V~50/60Hz Output voltage: 20V Output current: 4A+4A Accepts up to 2pcs P20S battery packs Dual active battery ports for individually charging Packed by color box	PCS	20	20	84.00	0.097
 FBCPK1214E		P20S Lithium-Ion battery and charger kit	Voltage: 20V With 1pcs lithium-ion battery pack(FBLI2002) With 1pcs charger(FCLI2001E) Lithium-ion battery pack(FBLI2002): Lithium-ion 4.0Ah battery LED battery power indicator One battery fits all P20S multiple tools Fast intelligent charger(FCLI2001E): Input voltage:220-240V~50/60 Hz	SET	50	10	48.00	0.278

 CFALI2007	 <p>P20S 7"</p> <p>Battery</p> <p>Battery and charger sold separately</p>	Cordless fan	Voltage:20V Dimensions:7" Battery and charger sold separately Packed by carton box	PC S	50	10	36.00	0.765
 CDLI1668	 <p>M16 COMPACT BRUSHLESS 60N.m</p> <p>16V</p> <p>2.0Ah x1</p> <p>SPINDLE LOCK</p>	Compact brushless cordless drill	Brushless motor Voltage: 16V No-load speed: 0-550/0-2000rpm Max torque: 60Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function Integrated LED work light Include:	PC S	50	5	110.00	0.448

 CHM023K		Cordless hand mixer	<p>1. Pcs Cr-V 65mm bit Wattage: 125W Voltage: DC 16V 7-speed control LED display Individual eject button Self-stand design for storage convenience Include:</p> <p>2. Pcs whisk sticks 2 Pcs beaters hooks 1 Pcs milk frother 1 Pcs 2.0Ah battery pack(FBLI1620) 1 Pcs charger</p>	PC S	48	4	75.00	0.800
 CIDLI12202 E		Cordless impact drill	Voltage: 12V No-load speed: 400/0-1500rpm Max impact rate: 22500bpm Max torque: 20Nm Plastic chuck Chuck capacity: 0.8-10mm Torque settings: 18+1+1 Integrated LED work light Include: 1 Pcs Cr-V 65mm bit 3 Pcs masonry drill bits 2 Pcs 1.5Ah battery pack(FBLI12153E) Battery charging port:USB type-C	PC S	50	5	54.00	0.271

 HCH81008D		Mini claw hammer	Weight: 8oz/220g Innovated drop-forged hammer head Heat treatment, 45# carbon steel Strong three-color fiberglass handle for comfortable grip Packed by paper card	PCS	672	48	15.00	0.178
 HTBG08		Tools bag	Size: 16" Material: 1680D polyester Max load: 20kg Size(L*W*H): 41*25*26cm Rigid frame for easy opening and access Reinforced plastic base for durability Internal pockets for additional storage capacity Adjustable shoulder strap included Packed by paper card	PCS	60	10	24.00	1.394

 HRRTB2015	 <p>20" With 19 Pockets Max Load 20 kgs</p>	Rolling rigid tool bag	<p>Size: 20" Material: 1680D polyester Max load: 20kg With Wheeled Telescopic pull handle Size(L*W*H):45*28*36cm With 5 Pcs external pockets and multiple internal With 1 Pcs hanger for measuring tape Rigid frame for easy opening and access Packed by paper card</p>	PCS	40	2	84.00	2.176
 HTVT09028	 <p>48x60x3cm Max load: 3kg Air mesh</p>	Tool vest	<p>Size: L48xW60xH3cm Adjustable shoulder straps and waist size Air mesh material Max load: 3kg Multiple use compartments for all storage needs With 17 pockets Packed by color box</p>	PCS	120	20	36.00	0.544

 HBP01028	 <p>380x170x460mm 15"x7"x18" Max Load 8 kgs</p>	Tools backpack	Size: L38* W17*H46cm Max load: 8kg Material: polyester oxford 1680D Rigid frame for easy opening and access Internal External pockets for additional storage capacity Packed by paper card	PCS	80	8	48.00	0.849
 HUK6236	 <p>SK4 6PCS 19x61mm Aluminum Alloy</p>	Folding knife	Folding knife Aluminum alloy handle Blade size:61x19mm With 5PCS blades HUKB61001 Packed by double blister	PCS	288	72	7.00	0.220

 HFMF
T0115



Foldable
multi-
function tool

Stainless steel handle
with soft rubber grip
Stainless steel
components
Foldable, easy to carry
Includes 1pcs nylon belt
pouch
Overall size:
155mm closed
size: 100mm With
15 Function
1.Flat nose Pliers
2.Regular pliers
3.Wire Cutters 4.Sharp
knife
5.3# Screwdriver
6.Bottle opener
7.5# Screwdriver 8.7#
Screwdriver

PC
S






216



36

13.80

0.476

9.Serrated knife
10.Wood Saw

 <p>HCG1709</p>	 <p>Suitable for: </p>	<p>Caulking gun</p>	<p>9" caulking gun Strong aluminum handle Length: 230mm With rotary function Thickness: 1.8mm Diameter:55mm Smooth rod:8.0mm Packed by paper card</p>	<p>PC S</p>	<p>480</p>	<p>24</p>	<p>13.20</p>	<p>1.154</p>
 <p>CHPTB78608 01</p>	 <p>↑ Bristle</p>	<p>8 Pcs paint brush set</p>	<p>8pcs paint brush set For Oil-Based paint 2pcs 1" 2pcs 1.5" 2pcs 2" 1pcs 3" 1pcs 4" Plastic handle Packed by double blister</p>	<p>SE T</p>	<p>324</p>	<p>36</p>	<p>12.00</p>	<p>0.918</p>

 HTC04601		Tile cutter	<p>Tile cutter Max cutting length:600mm Max cutting thickness:14mm Blade size:22x6x2mm Hollow sedan lods Net weight: 6.7kg Steel base size : 820X200mm Aluminium sliders Multi-function:direct line cutting, diagonal line cutting Diameter of sliding bar:20mm Packed by color box</p>	PC S	20	2	45.60	0.665
 HBSL08060		Heavy-duty mason's level	<p>Length: 60cm Net weight:790g Accuracy:0.5mm/m Finely milled bottom surface and front surface Heavy-duty cast aluminum tapered body Shock-absorbing rubber strike pads & end caps To withstand trowel blows and protect the level's integrity</p>	PC S	180	30	30.00	0.231



HLDD0708



L a s e r
d i s t a n c e
d e t e c t o r

Measuring
 Range:0.05-70m
 Measuring Accuracy:
 $\pm 2.0\text{mm}$
 Laser Type:635nm,
 $< 1\text{mW}$, Class 2
 Function:single
 measurement/
 continuous
 measurement/indirect
 measurement/area
 measurement/Volume
 measurement/single
 pythagorean theorem
 measurement/double
 pythagorean plus/
 double pythagorean
 minus/double area
 measurement
 Battery: 2*1.5 AAA
 Operating temp: $0^{\circ}\text{C} \sim$
 $+50^{\circ}\text{C}$
 Packed by color box




PC
S







80




40


24.00

0.077

 HHL013AAA8		Headlamp	Brightness: Max:200 lumens Low:100 lumens Use alkaline 3AAA battery Max 91m beam distance IPX4 raining resistant Packed by double blister	PC S	96	24	16.00	0.183
HGMG02-XL		Mechanic gloves	Size:XL Material:Sponge, microfiber, polyester, stair cloth, rubber,pvc 1pair/paper Microfibre material palm with PVC leather reinforced on palm enhance extreme abrasion resistance. Rubber on back prevent hand from hazards in dark. Pack by poly bag	P A IR	240	120	11.00	0.140

 SSH08SB.44		Safety boots	Slip on safety boots Sizes assortment:44 Category of protective footwear: SB:steel toe cap Split leather upper Dual density PU sole Packed by color box	P A IR	18	6	36.00	0.206
 SSH08SB.45		Safety boots	Slip on safety boots Sizes assortment:45 Category of protective footwear: SB:steel toe cap Split leather upper Dual density PU sole Packed by color box	P A IR	18	6	36.00	0.206
 HSPP30102		Pump sprayer	1L pump sprayer Second opening can easily fill the pump sprayer Adjustable nozzle with straight jet and mist spray Level indicator Packed by color box	PC S	60	20	8.40	0.266

 HSP30502		Pressure sprayer	5L Safety pressure release valve Handy carry strap Strong Aluminum pump lever Pressure:2.5BAR 1.2m length flexible hose Stainless lance and plastic nozzle ON/OFF trigger with trigger lock Adjustable sprayer pattern mist to stream Packed by color box	PCS	60	6	15.00	1.145
PMCA05		Cap	Material: All cotton canvas fabric	PCS	200	50	4.00	0.296

PMGF02		Feather banner	H:2.8M Material:Kintted Poly flag+Aluminum alloy and glass fiber flagpole+iron base support	SE T	10	5		0.097
--------	---	----------------	--	---------	----	---	--	-------