

// **Elegant, secure and with excellent thermal insulation**



ThermoPro entrance doors

Steel and aluminium doors for house entrances and side entrances





Enjoy your home

Entrance doors with proven Hörmann quality

Hörmann's steel and aluminium ThermoPro doors come in a wide range of styles. Thanks to standard multiple-point locking, these inexpensive doors give you a feeling of security, save energy through excellent thermal insulation and gives a stylish appearance to your home.



Without visible leaf frame

Hörmann's ThermoPro entrance doors have an exclusive appearance. A beautifully-shaped smooth door leaf made of steel or aluminium, without a visible leaf frame, simply looks good.

High thermal insulation

Nowadays, people try to save energy everywhere in their homes and ThermoPro doors also play their part. With a 46-mm thick door leaf completely filled with CFC-free rigid foam, these doors provide excellent thermal insulation with a k-value of up to 1.1 W/m² K. Reducing your energy bills!

The best sealing possible

Double seals on all four sides with additional corner seals near the bottom provide extra protection against bad weather. Heat loss is kept to a minimum.


8-point security

Because you and your family want to feel safe at home, all ThermoPro doors are equipped with multiple-point locking as standard for extra security.

Certified brand quality

All ThermoPro doors are manufactured in line with ISO 9001 and regularly subjected to the strictest quality tests. A CE mark indicates that the doors comply with EU directives in accordance with EN 14351-1. All of the most important door requirements laid out therein are adhered to. The advantages for you:

- Water-tight under heavy rain
- Stable under heavy winds
- Airtight
- Acoustic insulation
- Thermal insulation



High thermal insulation thanks to a door leaf that is 46 mm thick and infilled with CFC-free PU rigid foam.



A double seal with additional brush seal at the bottom protects against bad weather.




Standard 5-point locking gives you a feeling of security.




With over 50 years of experience and 13 million doors sold, Hörmann has become number 1 in Europe for garage doors. Hörmann's automatic sectional doors feature modern convenience, high security, and a sophisticated appearance. Your Hörmann partner would be pleased to advise you further.

You can find all of Hörmann's TopComfort, TopPrestige and TopPrestigePlus entrance doors in our wide **programme of aluminium entrance doors.**



Discover all the possibilities with **Hörmann's automatic sectional doors.** See the spectrum of variants and design options for yourself.



Ask for our **Series 2000 up-and-over door** brochure for classic and contemporary garage doors in steel, timber and GRP.



Steel door leaf with steel frame as a side entrance door

Steel frame

1



The robust steel frame is an inexpensive solution for side entrances that do not require high thermal insulation.

Steel threshold

2



The 20-mm high steel threshold results in a stable and secure exterior door.

8-point locking with a mushroom bolt lock

3



A feeling of security for you and your family: Four adjustable roller pivots and the deadbolt close the door reliably and press the door leaf firmly against

the frame. A further advantage: 3 additional security bolts on the hinge side make it practically impossible to force the door open.

Steel door leaf with timber frame as an entrance door

Timber frame

1



Select this inexpensive entrance door variant: A timber frame provides good thermal insulation and the surface is painted to match the door leaf.

Aluminium/plastic threshold

2



The door has a 20-mm high threshold with thermal break to prevent heat from escaping near the floor.

8-point locking with a mushroom bolt lock

3



A feeling of security for you and your family: Four adjustable roller pivots and the deadbolt close the door reliably and press the door leaf firmly against

the frame. A further advantage: 3 additional security bolts on the hinge side make it practically impossible to force the door open.

Steel or aluminium door leaf with aluminium frame as an entrance door

Aluminium frame

1



This choice provides you with the best thermal insulation for your entrance door. In addition, an aluminium frame with thermal break and round-style design gives

your door an extremely exclusive appearance.

Aluminium/plastic threshold

2



The door has a 20-mm high threshold with thermal break to prevent heat from escaping near the floor.

8-point locking with a pivoting bolt lock

3



This is the way to feel truly safe at home: 2 conical swing bolts engage with 2 additional security bolts and 1 deadbolt in the frame's lock plates and pull


the door shut tightly. Three further security bolts on the hinge side make it practically impossible to force the door open.

Fully equipped as standard

Brand quality will win you over in every respect


ThermoPro doors are available with the frame, threshold and locking variants shown here. All doors are ideally suited for use as a side entrance door, while an aluminium door leaf and frame is recommended for your home entrance, as it offers the best thermal insulation. You can choose between an inexpensive steel door leaf or an aluminium door leaf for a more exclusive appearance and the best thermal insulation.

Standard equipment



4 Perfectly hung with 3-way adjustable hinges

Sturdy, two-part 3-way adjustable hinges guarantee more security and smooth door function.



On aluminium doors, the colour of the hinges always matches the door colour.

Guide rollers with decorative caps for steel styles

The steel styles come with adjustable guide rollers and decorative caps that match the door colour.



Decorative caps in white as standard

Decorative caps in aluminium/stainless steel look

Decorative caps in brass/gold look

5 Internal lever

Each door comes with a beautifully-shaped handle set matching the classic or contemporary design of the door.



6 Profile cylinder

Delivered with 5 keys as standard



7 The best sealing possible

Save valuable energy: Double, all-round seals reduce heat loss. A standard rain canopy and additional brush seal at the bottom provide optimum protection against bad weather.



Standard sizes*

844 x 2095 mm
920 x 2095 mm
932 x 2095 mm
1001 x 2095 mm

Special sizes*

Steel styles
TPS 100, TPS 200, TPS 210,
TPS 300, TPS 310, TPS 400,
TPS 410

Width 875 – 1100 mm
Height 1990 – 2100 mm

Steel styles
TPS 010, TPS 020, TPS 030

Width 875 – 1250 mm
Height 1990 – 2250 mm

Aluminium styles
TPA 700, TPA 800, TPA 900

Width 875 – 1250 mm
Height 1990 – 2250 mm

* Ordering size = overall frame dimension

Modern, attractive appearance

Our aluminium entrance door styles come with flush-fitting triple glazing on the interior and exterior for especially good thermal insulation.



Modern design: Aluminium styles

With exclusive details

Our ThermoPro aluminium styles will captivate you with choice stainless steel and glass embellishments. These doors will give your home its own individual flair. Enjoy the benefits of an exclusive appearance and excellent thermal insulation. With an aluminium door leaf and standard aluminium frame, you will have an entrance door that fulfils quality requirements in all respects.



TPA 700

With continuous glazing.
Triple pane insulated glass, sand-blasted with clear horizontal stripes and clear laminated safety glass



TPA 800

With 4 glazing squares.
Triple pane insulated glass, sand-blasted with clear squares and with clear laminated safety glass.



TPA 900

With rounded glazing.
Triple pane insulated glass, sand-blasted with clear horizontal stripes and clear laminated safety glass



Triple pane insulated glass (46 mm) provides an excellent thermal insulation value of 1.1 W/m² K (k-value). A flush-fitting appearance on the interior and exterior, as well as a stainless steel glazing frame, underscore the door's overall harmonious appearance.



A beautifully-shaped, standard 38-2 exterior handle optimally blends in with the aluminium door styles.



The door can be adjusted precisely, making it easy to open and close, with elegant, three-way adjustable hinges in the door colour.

Choose from one of 15 preferred colours to fit the architecture of your home.



Individual combinations

These door styles are also available with the Decograin® surfaces “Titan Metallic” and “Golden Oak” to match the Hörmann sectional garage doors.




Contemporary: up-to-date steel styles

Straightforward and convincing

These three steel styles feature modern accents, come with or without glazing and always have a straightforward appearance. The following also applies to these door styles: they create a harmonic appearance along with a Hörmann garage door. All this will make your home look very special.



TPS 010
Smooth version.



TPS 020
With continuous glazing.
Double pane insulated glass,
Mastercarré and clear laminated
safety glass.



TPS 030
With 4 glazing squares.
Double pane insulated glass,
Mastercarré and clear laminated
safety glass.



Mastercarré glazing with double insulated glazing (24 mm) offers high thermal insulation. A modern, harmonious door appearance is created with a round-style plastic glazing frame.



As standard, the exterior of the door is equipped with an stainless steel handle 14-2: a perfect combination in terms of shape and material.



The door can be adjusted precisely, making it easy to open and close, with streamlined, three-way adjustable hinges.

Select a door style, colour or decor from 15 preferred colours or our Decograin® surfaces to fit the architecture of your home.



Long-lasting brand quality

Hörmann steel ThermoPro doors are hot galvanised, corrosion-resistant, and come with a high-quality polyester primer-coating.

TPS 100

With 6 panels.



Fantastic appearance: classic steel styles

Timeless and prestigious

These steel ThermoPro styles feature classic panels. Choose the door that best fits your home from seven different styles. These door styles blend in perfectly with a panelled Hörmann garage door and underline your good taste.



TPS 300

With 2 panels.

Double pane insulated glass, cathedral glass with small hammered finish and clear single-pane safety glass with surface-mounted rails.



TPS 310

With 2 panels.

Double pane insulated glass, cathedral glass with small hammered finish and clear single-pane safety glass with brass rails on the inside.



TPS 400

With 2 panels.

Double pane insulated glass, cathedral glass with small hammered finish and clear single-pane safety glass with surface-mounted rails.



TPS 410

With 2 panels.


Double pane insulated glass, cathedral glass with small hammered finish and clear single-pane safety glass with brass rails on the inside.



TPS 200

With 4 panels.

Double pane insulated glass, cathedral glass with small hammered finish and clear single-pane safety glass with surface-mounted rails.



TPS 210

With 4 panels.

Double pane insulated glass, cathedral glass with small hammered finish and clear single-pane safety glass with brass rails on the inside.



Cathedral glazing made of double insulated glazing (24 mm) offers high thermal insulation. A harmonious and classic panel look can be attained along with the "Profistyle" plastic glazing frame.



The door is equipped as standard with a gold or silver exterior handle for a classic overall appearance.



The door can be adjusted precisely, making it easy to open and close, with streamlined, three-way adjustable hinges.

Choose from one of 15 preferred colours to fit the architecture of your home.





A Question of Taste

Colours and accessories to choose

Select your personal favourite colour:

Classic white, one of several preferred colours, or one of the

Decograin® surfaces – a perfect fit for Hörmann's garage doors.

A beautiful handle and letter slot accents the door

Select your desired handle

As standard, all doors come with the exterior handle shown. Alternatively, you can select a different handle or material:



Lever handle set
(shown in silver)

Lever handle set
(shown in gold)



Lever/knob handle set
(shown in silver)

Lever/knob handle set
(shown in gold)



Security Lever handle set
(shown in silver)

Security Lever handle set
(shown in gold)



Security Lever/knob handle set
(shown in silver)

Security Lever/knob handle set
(shown in gold)



Letter plate
(shown in silver)



Letter plate
(shown in gold)

As standard in inexpensive traffic white

Steel and aluminium ThermoPro doors are supplied in Traffic white as standard.

15 preferred colours


Entrance doors also come in 15 inexpensive preferred colours for the exterior and interior.



	White aluminium	RAL 9006		Fir green	RAL 6009
	Terra brown	RAL 8028		Moss green	RAL 6005
	Clay brown	RAL 8003		Pigeon blue	RAL 5014
	Ochre brown	RAL 8001		Steel blue	RAL 5011
	Window grey	RAL 7040		Sapphire blue	RAL 5003
	Light grey	RAL 7035		Ruby red	RAL 3003
	Stone grey	RAL 7030		Light ivory	RAL 1015
	Anthracite grey	RAL 7016			

Exclusively for the styles TPS 010, TPS 020, TPS 030

These styles are available for the exteriors and interiors of doors with the Decograin® surface “Golden Oak” with a natural timber look and for the style TPS 010 in “Titan Metallic” for a modern door appearance.



The colours shown are subject to the limitations of the printing process and cannot be regarded as binding.



Experience quality with Hörmann

Entrance doors

An elegant eye-catcher: energy-saving, thermally insulated aluminium entrance doors.

Steel doors

Fitting in a flash: sturdy doors for your whole home, from basement to roof.

Frames

Select from our comprehensive programme for new constructions, expansions and modernisations.

Garage doors

The right fit for any type of architecture: up-and-over or sectional doors made of steel or timber.

Door operators

Simply convenient: Hörmann operators for garage doors and entrance gates.



Hörmann: Quality without Compromise



Hörmann KG Amshausen



Hörmann KG Antriebstechnik



Hörmann KG Brandis



Hörmann KG Brockhagen



Hörmann KG Dissen



Hörmann KG Eckelhausen



Hörmann KG Freisen



Hörmann KG Ichttershausen



Hörmann KG Werne



Hörmann Genk NV, Belgien



Hörmann Beijing, China



Hörmann LLC, Montgomery IL, USA

Hörmann is the only manufacturer worldwide that offers you a complete range of all major building products from one source.

We manufacture in highly-specialized factories using the latest production technologies.

The close-meshed network of sales and service companies throughout Europe, and activities in the USA and China, make Hörmann your strong partner for first-class building products, offering „Quality without Compromise“.

GARAGE DOORS

OPERATORS

INDUSTRIAL DOORS

LOADING EQUIPMENT

HINGED DOORS

DOOR FRAMES

(Issue 02.09) 85 828 E/P - 5.0 - Print 02.09

www.hoermann.com

